

CC6000 Technical Accessory Guide



NOTE: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.

* Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Communication Cables

Part Number	Picture	Description	Notes	Required Items					
CBL-TC2X-USBC-01 or CBL-TC5X-USBC2A-01		USB-C Cable	► Used to communicate with CC6000 via the USB OTG port.						
(3rd party) *		USB-C to DisplayPort Cable	►Used to connect CC6000 to external monitors.						
Mounting Options									
Part Number	Picture	Description	Notes	Required Items					
KT-152098-03		Wall Mounting Kit with Power Supply Storage	▶100mm VESA ▶Includes additional storage shelf to hold power supply ▶Kit includes hardware to attach CC6000 to bracket and security screw to secure it to the bracket. ▶ Modified over KT-152097-03 to hold the smaller power supply used by the CC6000 vs. the CC5000. Bracket is slightly thinner than KT-152097-03.						

KT-152097-03		Wall Mounting Kit with Power Supply Storage	►100mm VESA ► Includes additional storage shelf to hold power supply ► Modified over KT-152097-02 to better hold Level VI power supply.				
KT-152097-01		Wall Mounting Kit	▶100mm VESA				
KT-152096-03		Pole Mounting Kit	► 100mm VESA ► Includes additional storage shelf to hold power supply ► Modified over KT-152096-02 to better hold Level VI power supply.				
KT-152096-01		Pole Mounting Kit	▶100mm VESA				
Power Cords/ Power Supplies - Note:There are two ways to power the CC6000, either Direct Connect or via 802.3at POE (Power over Ethernet)							
Part Number	Picture	Description	Notes	Required Items			
CBL-DC-383A1-01		DC Line Cord	►Used with Power Supply (PWR-BUA5V16W0WW) ► Cable length is 6 ft.				

PWR-BUA5V16W0WW	Power Supply	I▶100-240VAC: 5.4V 3A 16W	DC Line Cord (CBL-DC-383A1- 01) and AC Line Cord (50-16000- 182R)
50-16000-182R	AC Line Cord	► Used with 50-14000-147R/50-14000-249R/PWRS-14000-249R/PWR-BUA5V16W0WW. ► This AC Line Cord is for use in North America. See the AC Line Cords by Country TAG for comparable line cords to use in other countries.	