



NOTE: This document is only for general reference. Solution Pathways and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles

Part Number	Picture	Description	Notes	Required Items
<p>SAC-MPP-1BCHGUS1-01 US SAC-MPP-1BCHGEU1-01 EU SAC-MPP-1BCHGUK1-01 UK SAC-MPP-1BCHGAU1-01 AU SAC-MPP-1BCHGCN1-01 CN</p>		<p>1-Slot Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Docks and charges a single PowerPrecision+ Li-Ion printer battery. Integrated power supply. Works with both standard and extended battery packs. ▶ Kit Information: 1-Slot Battery Charger (P1090786**) and region-specific AC Power Cable* ▶ Select the part number with the appropriate line cord for your region. ▶ AC Power Cable Type: IEC320C7 (non-polarized) ▶ Compatible Printers: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	
<p>P1050667-030 (No Adapter, No Cable)</p>		<p>Single Ethernet Charging Cradle</p>	<ul style="list-style-type: none"> ▶ Kit Information: Cradle (P1049723**) ▶ Compatible Printers: ZQ630, QLn420 ▶ Ethernet Cable NOT INCLUDED 	
<p>P1050667-023 AR P1050667-024 AU P1050667-022 BR P1050667-025 CN P1050667-020 EU P1050667-028 IL P1081280-010 IN P1050667-021 JP P1050667-027 TW P1050667-019 UK P1050667-018 US</p>		<p>Single Ethernet Charging Cradle Kit</p>	<ul style="list-style-type: none"> ▶ Dock and charge a single ZQ630 or QLn420 printer on a tabletop/ countertop surface. ▶ Ethernet port allows the printers to be managed remotely. ▶ Kit Information: Cradle (P1049723**), AC Adapter, and region-specific AC Power Cable* ▶ Compatible Printers: ZQ630, QLn420 ▶ Ethernet Cable NOT INCLUDED 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

<p>SAC-MPP-3BCHGUS1-01 US SAC-MPP-3BCHGEU1-01 EU SAC-MPP-3BCHGUK1-01 UK SAC-MPP-3BCHGAR1-01 AR SAC-MPP-3BCHGBR1-01 BR SAC-MPP-3BCHGAU1-01 AU SAC-MPP-3BCHGCN1-01 CN SAC-MPP-3BCHGIN1-01 IN</p>		<p>3-Slot Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. Best (most charged) Battery Lights Up Blinking Green. Works with both standard and extended battery packs. ▶ Kit Information: 3-Slot Battery Charger (P1090784**), DC Cable (CBL-DC-388A1-01), 12V Power Supply (PWR-BGA12V50W0WW), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	
<p>SAC-MPP-6BCHUS1-01 US SAC-MPP-6BCHEU1-01 EU SAC-MPP-6BCHUK1-01 UK SAC-MPP-6BCHAR1-01 AR SAC-MPP-6BCHBR1-01 BR SAC-MPP-6BCHAU1-01 AU SAC-MPP-6BHCN1-01 CN SAC-MPP-6BCHIN1-01 IN</p>		<p>Dual 3-Slot Battery Charger Kit Connected via Y Cable</p>	<ul style="list-style-type: none"> ▶ Dock and charge up to six PowerPrecision+ Li-Ion printer batteries at a time. ▶ Best battery (most charged) lights up blinking green. Works with both standard and extended battery packs. ▶ Kit Information: Dual 3-slot battery charger (P1090784**), power supply (PWR-BGA12V108W0WW), Y-Cable (P1093160**) and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	
<p>P1031365-089 AR P1031365-066 AU P1031365-067 BR P1031365-068 CN P1031365-065 EU / CL P1031365-088 IL P1081280-003 IN P1031365-096 JP P1031365-095 TW P1031365-063 US P1031365-064 UK</p>		<p>Li-ion Smart Battery Charger Kit (SC2)</p>	<ul style="list-style-type: none"> ▶ Docks and charges a single battery. ▶ Monitors and alerts on battery health. ▶ Supports both standard and extended batteries. ▶ Kit Includes: Charger (P1027407**) and region-specific AC Power Cable* ▶ Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520 	
<p>AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE power cord)</p> <p>AC18177-6 (MX / Central / South America)</p> <p>AC18177-1 UK AC18177-5 US</p>		<p>Li-ion Quad Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Older model BUT Cheaper than other slot chargers ▶ Does not have LED per battery indicating which one is charged the most. (The Dual 3-Slot and 3-Slot charging bays do this. See above) ▶ Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. ▶ Kit Information: 4-Slot Li-Ion Charger Battery Charger (AT16305-8**) and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number





<p>SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.</p>		<p>Shared Cradle (Custom)</p>	<ul style="list-style-type: none"> ▶ 3-slot battery charger for ZQ600, QLn and ZQ500 Series batteries plus three slots to charge TC70 mobile computers (charging cups). ▶ Can be bundled with TC70 Batteries or most other Zebra battery chargers ▶ Compatible Printers: ZQ610, ZQ620, QLn220 /QLn220 HC, QLn320 / QLn320 HC, QLn420, ZQ510, ZQ520, ZQ630 	
Charging Cables				
<p>P1031365-083 AR P1031365-043 AU P1031365-039 BR P1031365-040 CN P1031365-042 EU P1031365-032 IL P1081280-008 IN P1031365-094 JP P1031365-093 TW P1031365-041 UK P1031365-024 US P1031365-142 CL</p>		<p>AC Adapter Kit</p>	<ul style="list-style-type: none"> ▶ Connect the printer (or charging cradle) to AC power to charge the printer's internal battery. ▶ Kit Information: AC Adapter (P1076006), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 ▶ NOTE: Printer sold separately. 	
<p>P1058390-1 (with US line cord) P1058390-2 (without line cord)</p>		<p>Replacement Power Supply for Li-ion Quad Battery Charger</p>	<ul style="list-style-type: none"> ▶ Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger. ▶ Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520 	
<p>P1058390-2</p>		<p>Spare Power Supply for Quad Battery Charger without AC Line Cord</p>	<ul style="list-style-type: none"> ▶ Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger. ▶ No AC line cord. ▶ Compatible Printers: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T 	
<p>CBL-DC-388A1-01</p>		<p>Spare DC Connector Cable</p>	<ul style="list-style-type: none"> ▶ DC Cable connecting the 3-slot battery charger (SAC-MPP-6BCHUS1-01) to the power supply (PWR-BGA12V50W0WW) ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number





For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>P1050667-041</p>		<p>Dummy Battery</p>	<ul style="list-style-type: none"> ▶ QLn420 battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product. ▶ Kit Information: Dummy Battery, Battery Eliminator (P1058935**) ▶ Compatible Printers: ZQ630, QLn420 ▶ NOTE: Must be ordered with Battery Eliminator Power Supply 	<p>Battery Eliminator power supply: P1050667-142 (Open Ended) OR P1063406-133 (Cigarette Lighter Adapter)</p>
<p>P1050667-140 (includes power supply)</p>		<p>Battery Eliminator, Dummy Battery Pack and Power Supply</p>	<ul style="list-style-type: none"> ▶ This battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product. ▶ Commonly Bundled with: Handi-Mount with base plate (P1050667-032), Handi-Mount without base plate (P1050667-033), or Mobile Printer Mount Kit (P1050667-035) ▶ Kit Information: Dummy Battery / Battery Eliminator (P1058935**), DC to DC Power Adapter 12-48V (P1058934-01**) ▶ Designed for vehicles providing 12-48V power ▶ Compatible Printers: ZQ630, QLn420 	<p>Power Source (Forklift Battery)</p>
<p>P1050667-142</p>		<p>Battery Eliminator Power Supply (open ended, 12-48V)</p>	<ul style="list-style-type: none"> ▶ 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle. ▶ Designed for vehicles providing 12-48V power ▶ Kit Information: 12-48V DC Adapter open ended (P1058934-01**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	<p>P1050667-041 Dummy Battery</p>
<p>P1063406-133</p>		<p>Battery Eliminator Power Supply (lighter adapter 12-48V)</p>	<ul style="list-style-type: none"> ▶ 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle. ▶ Designed for vehicles providing 12-48V power ▶ Kit Information: 12-48V DC Adapter to Cigarette Lighter (P1064241-01**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	<p>P1050667-041 Dummy Battery</p>

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

AK18913-003		15-60V DC Power Supply (Barrel jack/open ended)	<ul style="list-style-type: none"> ▶ Open ended wires for charging the printer on a forklift. ▶ Kit Information: Vehicle 15-60V DC Adapter (AT18488-1**) ▶ Designed for vehicles providing 15-60V power ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, ZQ510, ZQ520, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, P4T 	
P1063406-030		12-24V DC Power Supply (open ended, 12-24V, for use with or without cradle)	<ul style="list-style-type: none"> ▶ 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle. ▶ Designed for vehicles providing 12-24V power ▶ Kit Information: 12-24V Power Adapter open ended (P1064244**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	
P1063406-031		12-24V DC Power Supply (lighter adapter, 12-24V, for use with or without cradle)	<ul style="list-style-type: none"> ▶ 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle. ▶ Kit Information: : 12-24V DC Power Adapter Cigarette Lighter (P1064243) ▶ Designed for vehicles providing 12-24V power ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	
VAM-MPP-VHCH1-01		Dual Charging Vehicle Adapter Kit	<ul style="list-style-type: none"> ▶ Charges a ZQ500 Series mobile printer and a TC70 or TC75 mobile computer simultaneously via the vehicle lighter power adapter. ▶ Kit includes Power Supply (P1093358**), Charging cable USB I/O Hub (SHARE-USBH-01), charging cable for the TC7X Charging Cable Cup, ▶ Power Supply which has square locking connector and one USB-A port which can be used to charge an additional device, cigarette lighter adapter cord, and open ended cord ▶ NOTE: This charging solution has not been officially validated with the TC5x. ▶ Please submit a CPR at http://cpr.zebra.lan (Zebra internal site) if you would like to use this cable with the TC5x. ▶ Compatible Printers: ZQ510, ZQ520, ZQ630, QLn420 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

Mounting Accessories

For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

https://zebra.sharepoint.com/:b:r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>P1050667-026 (with DC Adapter for Vehicle Charging)</p>		<p>Vehicle Charging Cradle Kit with 15-60V DC power supply Opened Ended</p>	<ul style="list-style-type: none"> ▶ Dock and charge a single ZQ630 or QLn420 printer in a vehicle or on a forklift. ▶ Kit Information: Charging Cradle (P1050590**), and 15-60V DC open ended power supply (AK18913-003) ▶ Designed for vehicles providing 15-60V power ▶ Commonly Bundled with RAM Arm Mount: P1010338 ▶ Designed for vehicles providing 15-60V power ▶ Compatible Printers: ZQ630, QLn420 	<p>Power Source (Forklift Battery)</p>
<p>P1050667-035</p>		<p>Mobile Mount Kit</p>	<ul style="list-style-type: none"> ▶ Heavy duty, shock-absorbing mounting kit with U-Arm Bracket and fanfold bin for external media use. ▶ For Use on Forklifts. ▶ Screws, Nuts and bolts included. ▶ Includes Fanfold Bin (AN16618-1) and Front Panel (P1050667-037) ▶ Compatible Printers: ZQ630, QLn420 ▶ NOTE: Printer Not included. 	<p>P1050667-140 (Battery Eliminator, Dummy Battery Pack and Power Supply)</p>
<p>P1050667-037</p>		<p>Replacement Front Panel for Mobile Mount Kit</p>	<ul style="list-style-type: none"> ▶ Replacement front panel for the ZQ630 and QLn420 Mobile Mount kit. ▶ Compatible Printers: ZQ630, QLn420 	
<p>AN16618-1</p>		<p>Spare Fanfold Bin</p>	<ul style="list-style-type: none"> ▶ Spare fanfold media storage bin for use with mobile mount kits (with external media). ▶ This accessory comes included in the Mobile Mounting Kit: P1050667-035 ▶ Compatible Printers: ZQ630, QLn420, P4T ▶ Includes media spacer and mounting hardware. 	

* = Please see the Regional AIT Power Cable TAG





** = Non purchasable part number

<p>P1050667-032 (with base plate)</p> <p>P1050667-033 (without base plate)</p>		<p>Handi-Mount</p>	<ul style="list-style-type: none"> ▶ More compact mounting option for the ZQ630 or QLn420 with a RAM arm and mounting plate. ▶ Available with or without a base plate. ▶ Compatible Printers: ZQ630, QLn420 ▶ NOTE: Printer sold separately 	<p>P1050667-140 12-48V DC Battery Eliminator Dummy Battery Pack and Power Supply</p>
<p>P1010338</p>		<p>Zebra RAM Mount Arm</p>	<ul style="list-style-type: none"> ▶ Attaches to the ZQ630, QLn420 or P4T Vehicle Charging Cradle for flexible mounting orientation. ▶ Commonly Bundled With: P1050667-026 Vehicle Charging Cradle ▶ Compatible Printers: ZQ630, QLn420, P4T ▶ Printer Cradle not included 	
<p>P1050667-038</p>		<p>Printer Stand</p>	<ul style="list-style-type: none"> ▶ Metal stand for storing the printer in upright orientation. ▶ NOTE: This is not intended for use on mobile carts. ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 ▶ Note: Printer Not Included 	

Third Party Mounting Accessories



For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:






https://zebra.sharepoint.com/:b:r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>216113 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® ZQ630 / QLn420 Printer Mount Kit with Battery Access (includes plate and quick release)</p>	<ul style="list-style-type: none"> ▶ This is different from the 216004 in that this kit provides access to the printers battery while the printer is docked ▶ Kit includes quick release dock and plate ▶ Pre-drilled holes for AMPS hole patterns ▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts) ▶ Weight: 0.50 lb / 0.23 kg ▶ Compatible Printers: ZQ630, QLn420 ▶ Printer Not Included 	
<p>216004 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® ZQ630 / QLn420 Printer Mount Kit (includes plate and quick release)</p>	<ul style="list-style-type: none"> ▶ Battery not accessible unless you remove the back plate ▶ Kit includes quick release dock and plate ▶ Pre-drilled holes for AMPS hole patterns ▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts) ▶ Weight: 0.50 lb / 0.23 kg ▶ Compatible Printers: ZQ630, QLn420 ▶ Printer Not Included 	
<p>216005 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Printer Mount Plate (Plate Only) ZQ630/QLn420</p>	<ul style="list-style-type: none"> ▶ This is not sufficient alone for mounting the printer ▶ This alone for a fixed mounted option. ▶ Pre-drilled holes for AMPS hole patterns ▶ This is only the mount plate ▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts) ▶ Weight: 0.30 lb / 0.14 kg ▶ Compatible Printers: ZQ630, QLn420 	<p>A mount/ bracket / Arm with an AMPS hole pattern</p>
<p>202016 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Standard Duty Pedestal Mount (5")</p>	<ul style="list-style-type: none"> ▶ AMPS hole pattern on both ends ▶ Dual ball joint style arm ▶ Weight: 0.47 lb / 0.21 kg ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number



<p>215863 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Solid Core Aluminum Arm</p>	<ul style="list-style-type: none"> ▶ Perfect for high vibration or heavy machinery mounting ▶ This is extremely heavy duty and usually overkill for most implementations ▶ Most implementations would be fine with the standard ProClip 202016 arm. ▶ Weight: 1.1 lb / 0.5 kg ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	
<p>100176 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Pipe / Handle Mount with Quick Release Dock</p>	<ul style="list-style-type: none"> ▶ Great for mounting printers on mobile carts, hand rails, handles, etc. ▶ Weight: 1.0 lb / 0.45 kg ▶ No tools required ▶ Fits Pipes and Bars from 1/2 Inch to 1 1/2 Inch ▶ Quick Release Dock with 15mm release tab ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	<p>Quick Release Mount</p>

<p>216114 (1.25" - 2" diameter)</p> <p>216107 (1" 3/16 diameter)</p> <p>(Third Party)</p> <p>www.proclipusa.com</p>	  	<p>ProClip® Pipe Mount</p>	<ul style="list-style-type: none"> ▶ Cart with a handlebar (up to 1" 5/8 diameter): ProClip Clamp 216114 OR ▶ Cart with a handlebar (up to 1" 3/16 diameter): ProClip Clamp 216107 ▶ AMPS Pattern mounting surface ▶ You will need a compatible Quick Release Mount for the printer you would like to support: ▶ Commonly Bundled: Quick Release Mounts for ZQ610, ZQ620, QLn220, QLn320: 215843 (Powered kit with an arm) 215842 (Non-Powered with an arm) 215803 (powered kit, no arm) 215806 (non-powered kit, no arm) ▶ 216114 Weight: 0.63 lb / 0.29 kg ▶ 216107 Weight: 0.5 lb / .22 kg ▶ Quick Release Mounts for ZQ630, QLn420: 216004 ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	<p>Quick Release Mount</p>
<p>RAM-VPR-107</p> <p>(Third Party)</p> <p>www.rammount.com</p>	 	<p>RAM® Printer Cradle for Portable Printers with Rear Paper Feed</p>	<ul style="list-style-type: none"> ▶ The RAM portable printer holder uses a unique patent pending spring loaded mechanism that provides a strong hold and provides easy removal for printer storage. ▶ At each end of the cradles are side clamping plates that are designed to fit cleanly around the edges of a printer. ▶ Dimensions: Max Height: 1.75" Width Range: 5.625" - 9.5" ▶ Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" 3-Hole 120-Degree: 1.812" Diameter ▶ Weight: 0.77 lbs. ▶ Kit Information: Assembly Hardware (4) #10-24 x 5/8" Machine Screws (4) #10-24 Nylock Nuts ▶ Compatible Printers: ZQ630, QLn420, ZQ510 	

<p>7160-0817 (Third Party)</p>	 	<p>RAM® Printer Cradle for Portable Printers with Rear Paper Feed</p>	<ul style="list-style-type: none"> ▶ Secure the Zebra ZQ630 or QLn420 mobile printers in any mobile environment with the adaptability to mount to any product utilizing the universal AMPs hole pattern. ▶ Placement Attaches directly any Clam Shell (Item No. 7160-0357, 7160-0370, 7160-0371) ▶ Printer bracket mounts to Gamber-Johnson Clam Shell with 3/8" studs (included) Bracket fastens to the printer using the PEM inserts on the printer ▶ Orients printer vertically or horizontally ▶ Bracket does not impede paper feed, printer ports or power connections ▶ Mounts to numerous Gamber-Johnson and competitor products utilizing the universal AMPs pattern ▶ Weight: 0.5 lbs / 0.23 kg ▶ Height: 1.0 in / 2.54 cm ▶ Width: 6.0 in / 15.24 cm ▶ Depth: 4.0 in / 10.16 cm ▶ Compatible Printers: ZQ630, QLn420 	
---	--	---	---	--

www.gamberjohnson.com

Carrying / Protection Options, Media Spacers, and Other Accessories

<p>P1031365-044 (ZQ610, QLn220)</p> <p>P1031365-029 (ZQ620, QLn320)</p> <p>P1050667-017 (ZQ630, QLn420)</p>		<p>Soft Case</p>	<ul style="list-style-type: none"> ▶ Add an extra layer of protection for harsh environments with a soft case. ▶ While in the case, the printer is IP54-rated resistance to windblown water and dust. ▶ Case provides openings for changing the media and batteries and all connectors are accessible. ▶ Shoulder strap length: 61 in / 129 cm ▶ Kit Includes: Soft Case and Shoulder Strap (P1031365-192) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Note: No pockets or holders for media and Does not increase drop spec 	
<p>P1050667-034</p>		<p>Hard Case with Metal Belt Clip</p>	<ul style="list-style-type: none"> ▶ Add an extra layer of protection from abrasion in harsh environments with a hard case. ▶ Includes metal belt clip. ▶ Does not increase drop spec ▶ Compatible Printers: ZQ630, QLn420 	

<p>P1031365-192</p>		<p>Shoulder Strap (61")</p>	<ul style="list-style-type: none"> ▶ Offers over-the-shoulder carrying option. Connects via looping strap. ▶ Length: 61 in / 154 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>P1031365-027</p>		<p>Hand Strap</p>	<ul style="list-style-type: none"> ▶ Hand strap which allows the printer to be carried by hand, like a toolbox. ▶ Length: 8 in / 20 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>SG-MPP-Q4HLSTR1-01</p>		<p>Durable Waist Strap</p>	<ul style="list-style-type: none"> ▶ Attach printer to the strap and wear it around the waist ▶ Length: 47in / 121cm length ▶ Compatible Printers: ZQ630, QLn420 	
<p>P1065668-017 (QLn Healthcare  White)</p> <p>P1099875-057 (ZQ600 Healthcare  White)</p>		<p>Healthcare  White Belt Clip (Quantity 20)</p>	<ul style="list-style-type: none"> ▶ Replacement belt clips for the ZQ600 and QLn ▶ Contains 20 belt clips ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ630, ZQ620 HC, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 ▶ NOTE: QLn White and ZQ600 White are different shades of white 	
<p>P1031365-028 (Standard Black)</p>		<p>Spare Black Belt Clip (Quantity 20)</p>	<ul style="list-style-type: none"> ▶ Replacement belt clips for the ZQ600 and QLn ▶ Contains 20 belt clips ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 	
Cables				
<p>AT17010-1</p>		<p>USB Cable (9.5")</p>	<ul style="list-style-type: none"> ▶ USB cable for setup/configuration of the ZQ600 and QLn ▶ USB-A to USB Mini B ▶ NOT for charging ▶ Length: 9.5 inches / 24 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, RW220, RW420 	

<p>P1031365-053</p>		<p>Serial Cable (PC-DB9) 6' Straight AP DTR</p>	<ul style="list-style-type: none"> ▶ Cable connects from a ZQ600 and QLn to PC for serial communications. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630 , QLn220, QLn320, QLn420 ▶ Length: 6 ft / 1.8 m ▶ NOTE: Equivalent to discontinued QL Cable BL11757-001 	
<p>P1031365-052</p>		<p>Serial Cable Adapter (12")</p>	<ul style="list-style-type: none"> ▶ Serial Cable adapter which allows legacy QL cables to be used with ZQ600 and QLn. ▶ Length: 12 in / 30 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>P1031365-054</p>		<p>MC9000 Serial Cable (9' 5")</p>	<ul style="list-style-type: none"> ▶ Serial cable which connects the ZQ600 and QLn to MC9000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 9 ft 5 in / 2.8 m ▶ NOTE: Equivalent to discontinued QL Cable CL17305-1 	
<p>P1031365-055</p>		<p>USB Cable with Strain Relief (6')</p>	<ul style="list-style-type: none"> ▶ USB cable for connecting the ZQ600 and QLn to PCs / laptops. ▶ Prevents USB cable breakage via hard plastic twist lock. ▶ Length: 6 ft / 1.8 m ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>P1031365-056</p>		<p>Serial Cable, RJ-45 to Telxon Adapter, 8' Coiled AP DTR</p>	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to RJ-45 Telxon adapter. Prevents breakage via a hard-plastic twist lock. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 8 ft / 2.4 m ▶ NOTE: Equivalent to discontinued QL Cable BL11122-1 	
<p>P1031365-057</p>		<p>Serial Cable, RJ-45 to LS2208 Scanner (3' 5")</p>	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to an LS2208 scanner. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 3 ft 5 in / 1 m ▶ NOTE: Equivalent to discontinued QL cable AK18192-1 	

P1031365-058		Serial Cable, RJ-45 to MC3000 (8' 4")	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 8 ft 4 in / 2.5 m ▶ NOTE: Equivalent to discontinued QL Cable AK17591-345 	
P1031365-060		Serial Cable, RJ-45 to MC3000 8' Coiled AP DTR	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ NOTE: Equivalent to discontinued QL Cable BL16713-1 	
P1031365-062		Serial Cable, RJ-45 with Strain Relief (9' 4")	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to RJ-45 serial devices. Prevents breakage via a hard-plastic twist lock. ▶ Length: 9 ft 4 in / 2.84m ▶ NOTE: Equivalent to discontinued QL Cable BL12093-1 ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
Batteries				
P1050667-016 (Standard Battery)		PowerPrecision+ 4900 mAh Li-Ion Rechargeable Battery	<ul style="list-style-type: none"> ▶ Standard printer battery which can be polled and managed to monitor battery health and recommend replacement. ▶ Compatible Printers: ZQ630, QLn420 ▶ Battery Capacity: 4900 mAh 	
BTRY-MPP-68MA1-01 (Standard)		Spare Smart Battery 6800 mAh	<ul style="list-style-type: none"> ▶ Standard Printer Battery which can be polled and managed to monitor battery health and recommend replacement. ▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ Compatible Printers: ZQ630, QLn420 ▶ Battery Capacity: 6800 mAh 	